



			
	mm	mm	kg/m
CXDY	250mm	17.0mm	4.89
	238mm	17.0mm	4.63
	216mm	17.0mm	4.26
	206mm	16.0mm	4.01
	243mm	20.0mm	5.07
			
FEATURES 1.Suitable for all weather use / for road and off-road 2.Good in tearing and cutting resistant properties, handling performance and directional stability 3.Good wet traction / reducing tread impact noise 4.Good self-cleaning / directional tread 特性 1.適合各種崎嶇不平路面 2.單塊式設計，超強抓地力 3.排水性能，客位時有回轉之效果 4.自動清除胎面泥沙			
UNIT PRICE:(FOB Keelung US\$):TBA			
TREAD WIDTH(mm):	243.00	206.00	216.00 238.00
TREAD DEPTH(mm):	20.00	16.00	17.00 17.00

			
	mm	mm	kg/m
CXDE	238mm	17.0mm	4.42
	215mm	17.0mm	4.07
			
FEATURES 1.Heavy-duty lateral block with open shoulder 2.Good transmission of traction forces on wet and dry roads 3.Good self-cleaning 4.To resist stone penetration and retention 特性 1.大角度及塊狀設計，具極佳抓地力 2.提供優良之牽引力及方向穩定性 3.能自動清除胎面泥沙 4.防止溝槽夾石			
UNIT PRICE:(FOB Keelung US\$):TBA			
TREAD WIDTH(mm):	215.00	238.00	
TREAD DEPTH(mm):	17.00	17.00	

	 mm	 mm	 kg/m
CXGV	245mm	17.0mm	5.15
	238mm	17.0mm	4.20
	220mm	16.5mm	3.99
	210mm	16.5mm	3.87



FEATURES

1. Good wet traction / comfortable / directional stability

2. High-mileage / fuel-saving

3. All position axles

特性


1. 排水性、舒適性佳、穩定性高

2. 里程高、低耗油

3. 全方位輪胎

UNIT PRICE:(FOB Keelung US\$):TBA				
TREAD WIDTH(mm):	210.00	220.00	238.00	245.00
TREAD DEPTH(mm):	16.50	16.50	17.00	17.00

	 mm	 mm	 kg/m
C857	238mm	17.0mm	4.32
	220mm	16.5mm	4.04
	210mm	16.5mm	3.81



FEATURES

1. Good wet traction / fuel-saving

2. To resist stone penetration and retention

3. All position axles


特性

1. 排水性、低耗油


2. 防止溝槽夾石

3. 全方位輪胎


UNIT PRICE:(FOB Keelung US\$):TBA				
TREAD WIDTH(mm):	210.00	220.00	238.00	
TREAD DEPTH(mm):	16.50	16.50	17.00	



TREAD PATTERN NAME: CCB
UNIT PRICE:(FOB Keelung US\$):TBA
TREAD WIDTH(mm): 196.00 213.00
TREAD DEPTH(mm): 16.00 18.00



TREAD PATTERN NAME: CML
UNIT PRICE:(FOB Keelung US\$):TBA
TREAD WIDTH(mm): 208.00
TREAD DEPTH(mm): 16.00



TREAD PATTERN NAME: CPZ
 UNIT PRICE:(FOB Keelung US\$):TBA
 TREAD WIDTH(mm): 210.00
 TREAD DEPTH(mm): 16.00



315R22.5 CXZH 24mm 240mm
 11R22.5 CXZH 20mm 205mm

TREAD PATTERN NAME: CXZH
 UNIT PRICE:(FOB Keelung US\$):TBA
 TREAD WIDTH(mm): 205.00
 TREAD DEPTH(mm): 20.00



TREAD PATTERN NAME: CST
UNIT PRICE:(FOB Keelung US\$):TBA
TREAD WIDTH(mm): 210.00
TREAD DEPTH(mm): 16.00